

Swissphone RE609/619/629

The newest generation of analogue receivers



The most important performance features

- > Up to 32 addresses with 50 user profiles – to fit the requirements of any assignment
- > Large display – for clarity at a glance
- > Frequency synthesizing via PLL – keeps down set-up times
- > Two or four minutes of voice recording capacity, allowing message replay as needed
- > IP54 protection – ensures reliable alerting in all weather conditions
- > Option Multi-Channel – allows the pager to utilize different frequencies

RE609 – the base model

))) A value for money solution to crew callout. Due to its excellent sensitivity your personnel is always reachable. The RE609 offers clear voice reception and allows to monitor a channel for radio traffic.

RE619 – the comfort model

))) Ideal for use in all alarm and emergency turn-out networks. Two minutes voice storage will record the last four calls, allowing replay at any time.

RE629 – the premium model

))) The RE629 offers 32 addresses and up to 50 user profiles. As RE629 memo it offers four minutes voice storage. The alarm timer and timestamping provide additional support for scheduling a response.



RE609/619/629

Up to 32 addresses in 50 user profiles: The up to 50 user profiles and the easy-to-activate expansion profile provide a wide range of options to configure the 32 addresses to the requirements of the task in hand and can be assigned appropriately.

Improved display legibility: The 4-digit, 7-segment display continuously shows the currently defined mode of operation. If the RE6x9 receives an alarm, the receiving address will be shown in the display. An RE629 will additionally show the time elapsed since the alert and time stamp the alert for later review.

Reliable and robust: Made in Switzerland for a persuasive combination of quality and functionality. State-of-the-art technology, excellent reception and its handy format make the RE6x9 the best in its class. The Swissphone compact casing is exceptionally robust thanks to its two interlocking convex halves and further protection is provided by all-round rubber cushioning.

A safe investment: With Swissphone's worldwide service network you can be sure that the devices will continue to function optimally. Replacement parts are kept available for at least seven years after production of a device ceases.

Economical: Thanks to PLL (phase-locked loop) technology, the receiving frequency can be programmed, in addition to the operating functions. This enables a considerable reduction of set-up times when putting into operation in any analogue alarm signal network.

Performance features	RE609	RE619	RE629
Memory for voice messages		2 minutes	4 minutes, can be divided in 8 x 30 sec. dynamic and fixed
Monitoring function	yes		
Alarm timer	-	-	yes
Clock and alarm display	-	-	yes
Vibrator	yes		
Addresses	6	6	32
User profiles	-	-	50
Alarm memory	6	6	24
Volume adjustment	button control		
Option multi-channel	-	-	yes
Frequency bands (MHz) <small>(more frequencies on request)</small>	68-74/74-81/81-88 146-155/155-164/164-174		68-74/74-81/81-88/146-155 155-164/164-174 450-470
Frequency processing	PLL software adjustable within 1,0 MHz VHF/2,0 MHz UHF		
Sensitivity (best position) 4 m/2 m	< 3,5 µV/m		
Standard battery type, AA size	yes		
Power management	Dry cell (1.5 V) 165 h NiMH rechargeable (2200 mAh) 180 h NiCd rechargeable (800 mAh) 65 h		
Dimensions (H x W x D in mm)	78 x 53 x 24		
Weight (incl. battery)	122 g		

Specifications subject to change

Additional information: www.swissphone.com



Time stamp and alarm timer

Once an alarm has been received, the alarm timer starts running in the display until acknowledged. You can thus tell the urgency of the current alarm at a glance. While retrieving alarms and messages, the display alternates between the address and time stamp. The advantage for you: The RE629 is a useful aid when reviewing assignments. It gives you an overview of which addresses received alarms and when.



Swissphone Telecom AG
Fälmisstrasse 21, CH-8833 Samstagern
Tel. +41 44 786 77 70, Fax +41 44 786 77 71
www.swissphone.com

Your Swissphone-partner: